

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

Claims 1-11 (canceled):

Claim 12 (currently amended): A nutritional or pharmaceutical composition for ~~at least one of:~~ the inhibition of ~~pathogen~~ pathogenic bacteria adhesion to mammalian cells, or for ~~preventing,~~ reducing or inhibiting the invasion and infection of mammalian cells by ~~pathogen~~ pathogenic bacteria, wherein the mammal cells invaded or infected are mammalian gut or intestinal epithelial cells, the composition comprising: a compound ~~chosen from at least one of:~~ selected from the group consisting of manno-oligosaccharides, caseinoglycomacropeptides (COMP), methyl manno-oligosaccharides, ~~ehito~~ chito-oligosaccharides, ~~pectie~~ oligosaccharides, ~~galacto~~-oligosaccharides (GOS), ~~curdlan~~ (beta 1,3-glucan), ~~sialyl~~-oligosaccharides, ~~isomalto~~-oligosaccharides, ~~oligogalacturonide~~, partially hydrolysed guar gum, gentio-oligosaccharides, arabino-oligosaccharides, ~~pectin~~, lactose, ~~lactulose~~, lactosucrose, ~~and~~ long-chain isomalto-oligosaccharides, and combinations thereof.

Claim 13 (currently amended): ~~A~~ The nutritional or pharmaceutical composition according to claim 12, wherein the compound is ~~chosen from at least one~~ selected from the group consisting of manno-oligosaccharides, ~~pectie~~ oligosaccharides, ~~sialyl~~-oligosaccharides, chito-oligosaccharides, caseinoglycomacropeptide (CGMP), ~~galacto~~-oligosaccharides (GOS), ~~curdlan~~ and partially hydrolysed guar gum, and combinations thereof.

Claim 14 (currently amended): ~~A~~ The nutritional or pharmaceutical composition according to claim 12, wherein the compound is ~~chosen from at least one of~~ selected from the group consisting of caseinoglycomacropeptide (CGMP), ~~ehito~~ chito-oligosaccharides, ~~pectie~~ oligosaccharides, ~~sialyl~~-oligosaccharides and ~~curdlan~~ and combinations thereof.

Claim 15 (currently amended): ~~A—The~~ nutritional or pharmaceutical composition according to claim 12, wherein the manno-oligosaccharide is ~~chosen from at least one of~~selected from the group consisting of alpha 1-2 manno-oligosaccharide, alpha 1-3 manno-oligosaccharide,and alpha 1-6 manno-oligosaccharide, and combinations thereof.

Claim 16 (currently amended): A nutritional or pharmaceutical composition for the ~~prevention or treatment of acute or chronic pathogen~~pathogenic bacteria-associated enteric disorders in a mammal, or for the ~~prevention or treatment of pathogenic bacteria~~ microflora proliferation in a mammal, the composition comprising a compound ~~chosen from at least one of~~selected from the group consisting of manno-oligosaccharides, caseinoglycomacropeptides (CGMP), methyl manno-oligosaccharides, ~~chito—~~chito-oligosaccharides, ~~pectic oligosaccharides, galacto-oligosaccharides (GOS), curdlan (beta 1,3-glucan), sialyl oligosaccharides, isomalto-oligosaccharides, oligogalacturonide, partially hydrolysed guar gum, gentio-gentio-~~oligosaccharides, arabino-oligosaccharides, ~~pectin, lactose, lactulose, lactosucrose, and~~ long-chain isomalto-oligosaccharides, and combinations thereof.

Claim 17 (currently amended): ~~A—The~~ nutritional or pharmaceutical composition according to claim 16, wherein said acute or chronic ~~pathogen~~pathogenic bacteria-associated enteric disorders ~~is~~are selected from the group consisting of gastroenteritis, ulcerative colitis,~~or diarrhoeal diseases, or~~and combinations thereof.

Claim 18 (currently amended): Use of a compound~~A method for inhibiting pathogenic bacteria adhesion to mammalian cells or for reducing or inhibiting the invasion and infection of mammalian cells by pathogenic bacteria, the method comprising administering to a mammal a compound chosen from at least one of~~selected from the group consisting of manno-oligosaccharides, caseinoglycomacropeptides (CGMP), methyl manno-oligosaccharides, ~~chito~~chito-oligosaccharides, ~~pectic~~pectic-oligosaccharides, galacto-oligosaccharides (GOS), curdlan (beta 1,3-g-lucan), sialyl-oligosaccharides, isomalto-oligosaccharides, oligogalacturonide, partially hydrolysed guar gum, ~~gentio~~gentio-oligosaccharides, arabino-oligosaccharides, ~~pectin~~pectin, lactose, ~~lactulose~~lactulose, lactosucrose, ~~and~~ long chain isomalto-oligosaccharides, and combinations thereof, ~~for the inhibition of pathogen adhesion to mammalian cells or for preventing, reducing or inhibiting the invasion and infection of mammalian cells, wherein said mammalian cells are those of the gut and intestinal mammalian cells, by pathogen.~~

Claim 19 (currently amended): A method of ~~preventing or~~ treating acute or chronic ~~pathogen~~pathogenic bacteria-associated, enteric disorders in a mammal, said method comprising administering to said mammal a therapeutically effective amount of a compound ~~chosen from at least one of~~selected from the group consisting of manno-oligosaccharides, caseinoglycomacropeptides (CGMP), methyl manno-oligosaccharides, ~~chito~~chito-oligosaccharides, ~~pectic~~pectic-oligosaccharides, galacto-oligosaccharides (GOS), curdlan (beta-1,3-glucan), sialyl-oligosaccharides, ~~pectin~~pectin, lactose, ~~lactulose~~lactulose, lactosucrose, isomalto-oligosaccharides, oligogalacturonide, partially hydrolysed guar gum, ~~gentio~~gentio-oligosaccharides, arabino-oligosaccharides, ~~and~~ long-chain isomalto-oligosaccharides, and combinations thereof.

Claim 20 (currently amended): ~~A~~The method according to claim 19, wherein said enteric disorders ~~is~~are ~~selected from the group consisting of~~ gastroenteritis, ulcerative colitis, ~~or~~ diarrhoeal diseases, ~~or~~and combinations thereof.

Claim 21 (currently amended): ~~Use A-~~The method according to claim 19, wherein the compound is chosen from at least one of~~selected from the group consisting of~~ manno-oligosaccharides, ~~pectic~~-ligosaccharides, ~~sialyl~~-oligosaccharides, ~~chito~~-oligosaccharides, caseinoglycomacropeptide (CGMP), ~~galacto~~-oligosaccharides (GOS), ~~curdian~~ and partially hydrolysed guar gum, and combinations thereof.

Claim 22 (currently amended): ~~A-~~The method according to claim 19, wherein the compound is chosen from at least one of~~selected from the group consisting of~~ caseinoglycomacropeptide (CGMP), ~~chito~~-~~chito~~-oligosaccharides, ~~pectic~~-oligosaccharides, ~~sialyl~~-oligosaccharides ~~and curdian~~and combinations thereof.

Claim 23 (currently amended): ~~A-~~The method according to claim 19, wherein the manno-oligosaccharide is chosen from at least one of~~selected from the group consisting of~~ alpha 1-2 manno-oligosaccharide, alpha 1-3 manno-oligosaccharide, ~~and~~ alpha 1-6 manno-oligosaccharide, and combinations thereof.

Claim 24 (currently amended): A nutritional or pharmaceutical composition comprising at least one compound ~~chosen from~~ manno-oligosaccharides and/or methyl-manno-oligosaccharides, in particular chosen from selected from the group consisting of alpha 1-2 mannobioses, alpha 1-3 mannobioses, alpha 1-6 mannobioses, ~~or~~ methyl alpha manno-oligosaccharides, and combinations thereof.

Claim 25 (currently amended): A nutritional or pharmaceutical composition comprising at least one compound ~~chosen from~~ selected from the group consisting of caseinoglycomacropeptides (CGMP), ~~chito~~-~~chito~~-oligosaccharides, ~~pectic~~-oligosaccharides, ~~curdian~~ (beta 1,3-glucan), ~~sialyl~~-oligosaccharides, ~~isomalto~~-oligosaccharides, ~~oligogalacturonide~~, ~~gentio~~-~~gentio~~-oligosaccharides, arabino-oligosaccharides, ~~and~~ long-chain isomalto-oligosaccharides, and combinations thereof, and a nutritionally or pharmaceutically acceptable excipient.

Claim 26 (currently amended): ~~A~~The nutritional or pharmaceutical composition according to claim 25, wherein the compound is a chosen from at least one of chito-chito-oligosaccharides, pectic-oligosaccharides, sialyl-oligosaccharides and curdlan.

Claim 27 (withdrawn): A screening method to test the anti-adhesive activity of an oligosaccharide which method comprises:

adding oligosaccharide solution to cell monolayers of the human colonic cell line HT29 in triplicate wells,

adding an equal volume of bacterial culture,

c)washing of the cell layers after 2h at 37°C aerobic, 5% CO<sub>2</sub>,

detaching cell layers with trypsin/EDTA solution,

enumerating bacteria by plate counting, and

comparing counts in wells with oligosaccharides to those without.

Claim 28 (currently amended): ~~Use of a compound~~A method for the manufacture of a nutritional or pharmaceutical composition for the inhibition of ~~pathogen~~pathogenic bacteria adhesion to mammalian cells, or for ~~preventing~~, reducing or inhibiting the invasion and infection of mammalian cells by ~~pathogen~~pathogenic bacteria, the method comprising adding to the nutritional or pharmaceutical composition a compound selected from the group consisting of wherein said mammalian cells are mammalian gut or intestinal epithelial cells, comprising: manno-oligosaccharides, caseinoglycomacropeptides (CGMP), methyl manno-oligosaccharides, chito-chito-oligosaccharides, pectic-oligosaccharides, galacto-oligosaccharides (GOS), curdlan (beta-1,3-glucan), sialyl-oligosaccharides, isomalto-oligosaccharides, oligogalacturonide, partially hydrolysed guar gum, gentio-oligosaccharides, arabino-oligosaccharides, pectin, lactose, lactulose and long-chain isomalto-oligosaccharides, or and combinations thereof, wherein the mammalian cells are mammalian gut or intestinal epithelial cells.

Claim 29 (currently amended): ~~Use of a compound~~A method for the manufacture of a nutritional or pharmaceutical composition for the ~~prevention or treatment~~ of acute or chronic ~~pathogen~~pathogenic bacteria-associated enteric disorders in a mammal or for the ~~prevention or treatment~~ of pathogenic bacteria microflora proliferation in ~~a~~the mammal, the method comprising adding to the nutritional or pharmaceutical composition a compound selected from the group consisting of ~~chosen comprising~~ manno-oligosaccharides, caseinoglycomacropeptides (CGMP), methyl manno-oligosaccharides, ~~chito~~chito-oligosaccharides, ~~pectic~~oligosaccharides, ~~galacto~~oligosaccharides (GOS), curdlan (beta 1,3 glucan), ~~sialyl~~oligosaccharides, isomalto-oligosaccharides, ~~oligogalacturonide~~, partially hydrolysed guar gum, ~~gentio~~gentio-oligosaccharides, arabino-oligosaccharides, ~~pectin~~, lactose, ~~lactulose~~, lactosucrose, ~~and~~ long-chain isomalto-oligosaccharides, ~~or a~~and combination combinations thereof.

Claim 30 (currently amended): A ~~use method~~method according to claim ~~28-29~~, wherein said enteric disorders are selected from the group consisting of gastroenteritis, ulcerative colitis, or diarrhoeal diseases, and combinations thereof.